

CURRICULUM VITAE
JOSEPH TAUBER, M.D.
Tauber Eye Center
4400 Broadway, Suite 202
Kansas City, MO 64111
(816) 531-9100 (816) 531-9105 FAX
jt@taubereye.com

Education

1978	Bachelor of Sciences in Biology and Chemistry Union College	Schenectady, N.Y.
1982	Doctor of Medicine Harvard Medical School	Boston, MA

Postdoctoral Training

7/82-6/83	Internship in Internal Medicine Northwestern Medical Center	Chicago, IL
7/83-6/84	Residency in Internal Medicine Beth Israel Hospital	Boston, MA
7/84-6/87	Residency in Ophthalmology Tufts-New England Medical Center	Boston, MA
7/87-6/88	Fellowship in Ocular Immunology Massachusetts Eye & Ear Infirmary	Boston, MA
7/88-6/89	Fellowship in Corneal and External Diseases Massachusetts Eye & Ear Infirmary	Boston, MA

Licensure and Certification

1983	Diplomate National Board of Medical Examiners
1984	Massachusetts State Licensure
1989	Missouri State Licensure
1989	Diplomate of the American Board of Ophthalmology
1997	Kansas State Licensure

Academic Appointments

1999-2011	<u>Clinical Professor of Ophthalmology</u> Kansas University School of Medicine
1999-Present	<u>Medical Director</u> Saving Sight Eye Bank
1998-1999	<u>Clinical Professor of Ophthalmology</u> University of Missouri-Kansas City School of Medicine

1994-1997 Clinical Associate Professor of Ophthalmology
University of Missouri-Kansas City School of Medicine

1989-1993 Clinical Assistant Professor of Ophthalmology
University of Missouri-Kansas City School of Medicine

1991-1999 Director of Clinical Research
University of Missouri-Kansas City School of Medicine

Hospital Staff Appointments

1989-Present St. Lukes Hospital of Kansas City-Kansas City, MO

Honors, Awards and Distinctions

Union College Valedictorian, Summa Cum Laude
William E. Lasnik Prize

**Harvard
Medical School** Founding Member Cabot Medical Society

**Northwestern
Medical Center** Co-chairman House Staff Committee
Northwestern Memorial Hospital

**Tufts-New England
Medical Center** Charles J. Preefer Resident Research Award

**Massachusetts
Eye & Ear
Infirmary** National Eye Institute Individual NRSA Award
(EY06052) 1987-1989

Heed Ophthalmic Foundation Fellowship 1987-88
Heed Foundation/Knapp Fellowship 1988-89

Post - Training American Academy of Ophthalmology Achievement Award, 2005
American Academy of Ophthalmology Program Committee
Member, Cornea Subcommittee 2002 - 2006

Professional Affiliations

American Academy of Ophthalmology
Association for Research in Vision and Ophthalmology
Cornea Society
Metropolitan Medical Society of Greater Kansas City
Kansas City Society of Ophthalmology & Otolaryngology
Midwest Corneal Society

Bibliography

- Versatile Method for Evaluating a Cell Culture by Various Morphological Techniques.
Lahav M, Ishii Y, Craft J, Tauber J.
Stain Technology 57: 331-347, 1982
- Cryotherapy for Iris Neovascularization and Neovascular glaucoma.
Lahav M, Tauber J, Haug S.
Ocular Circulation and Neovascularization ed. By D BenEzra, SJ Ryan, BM Glaser And RP Murphy,
Documenta Ophthalmologica Proceedings, Series 50, pp. 383-386,
Martinus Nijhoff/DR W Junk Publishers, 1987
- New Clinical Classification for Iris Neovascularization.
Tauber J, Lahav M, Erzurum SA.
Ophthalmology 94 (5): 542-544, 1987
- Simplified Diagnostic Coding Sheet for Computerized Data Storage and Analysis in Ophthalmology
Tauber J, Lahav M.
Ophthalmic Surgery 18 (11) : 846-849, 1987.
- Dramatic Improvement Following Plasmapheresis in the Atopic Keratoconjunctivitis Associated with Hyper IgE Syndrome.
Aswad M, Tauber J, Baum J.
Ophthalmology 95 (4): 444-447, 1988.
- Cataract Surgery in Ocular Cicatricial Pemphigoid.
Sainz de la Maza M, Tauber J, Foster CS.
Ophthalmology 95 (4): 481-486, 1988.
- Lymphocyte Proliferation After HSV-1 Infection in Igh-1 Disparate Congenic Murine Strains.
Tauber J, Wells PA, Foster CS.
Investigative Ophthalmology Visual Science 29 (Suppl): 152, 1988.
- Scleral Grafting in Necrotizing Scleritis.
Sainz de la Maza M, Tauber J, Foster CS.
Ophthalmology 95 (9) Suppl: 161, 1988.
- Glaucoma in Patients with Ocular Cicatricial Pemphigoid.
Tauber J, Melamed S, Foster CS.
Ophthalmology 96 (1): 33-37, 1989
- Systemic Immunologic Responses Following Intracameral Inoculation of HSV-1 in Susceptible and Resistant Igh-1 Disparate Congenic Murine Strains.
Tauber J, Hemady R, Ihley T, Opremcak EM, Foster CS.
Investigative Ophthalmology Visual Science 30 (Suppl): 359, 1989.
- Value of Conjunctival Biopsy in Peripheral Ulcerative Keratitis.
Sainz de la Maza M, Foster CS, Tauber J, Hoang-Xuan T.
Ophthalmology 96 (9) Suppl: 121, 1989.
- An Analysis of Therapeutic Decision Making in Peripheral Ulcerative Keratitis.
Tauber J, Hoang-Xuan T, Sainz de la Maza M, Foster CS.
Cornea 9 (1): 66-73, 1990.
- Viral Isolation and Systemic Immune Responses After Intracameral Inoculation of Herpes Simplex Virus type 1 in Igh-1 Disparate Congenic Murine Strains.
Hemady R, Tauber J, Ihley TM, Opremcak EM, Foster CS.
Investigative Ophthalmology Visual Science 31 (11): 2335-2341, 1990.
- Ocular Cicatricial Pemphigoid (OCP) – The Potential for Cure.
Neumann R, Tauber J, Foster CS.
Ophthalmology 97 (9) Suppl: 132, 1990.

Bibliography

- Systemic Chemotherapy for Ocular Cicatricial Pemphigoid.
Tauber J, Sainz de la Maza M, Foster CS.
Cornea 10 (3): 185-195, 1991.
- Romberg's Progressive Hemifacial Atrophy: An Association with Spontaneous Scleral Melting.
Hoang-Xuan T, Foster CS, Jakobiec FA, Tauber J, Sainz de la Maza M, Krebs W.
Cornea 10 (4): 361-366, 1991.
- Immunomodulators in Immune and Inflammatory Diseases of the Eye.
Hemady R, Tauber J, Foster CS.
Survey of Ophthalmology 35 (5): 369-385, 1991.
- Investigation and Treatment of Peripheral Corneal Ulcers.
Foster CS, Tauber J, Sainz de la Maza M, Hoang-Xuan T.
In *4th Workshop on External Eye Disease & Inflammation*, Medical Communications Services Limited, Oxted, Surrey. pp. 13-21, 1990.
- Remission and Recurrence after Withdrawal of Therapy for Ocular Cicatricial Pemphigoid.
Neumann R, Tauber J, Foster CS.
Ophthalmology 98: 858-862, 1991.
- Lipemia Retinalis
Martinez KR, Cibis GW, Tauber J.
Archives of Ophthalmology 110: 1171, 1992.
- Improved Detection of Disease Progression in Ocular Cicatricial Pemphigoid.
Tauber J, Jabbur N, Foster CS.
Cornea 11 (5): 446-451, 1992.
- The Effectiveness of Excimer Photorefractive Keratectomy for Myopia.
Piebenga LW, Deitz MR, Irvine JW, Matta CS, Tauber J, Sabates FN.
Ophthalmology 99 (9A): 106, 1992.
- Long Term Results of Systemic Chemotherapy for Ocular Cicatricial Pemphigoid.
Foster CS, Neumann R, Tauber J.
Doc Ophthalmology 82 (3): 223-229, 1992.
- Kayser-Fleisher Ring of the Cornea Associated with Non-Wilsonian Liver Disease.
Tauber J, Steinert RF.
Cornea 12 (1): 74-77, 1993.
- Improvement in Squamous Metaplasia Following Aquasite™ Treatment in Patients with Dry Eye Syndrome and in Normal Volunteers.
Tauber J, Crosser VA, Mardelli PM.
Investigative Ophthalmology Visual Science 34 (4): 2693, 1993.
- Regional Impression Cytology Abnormalities in Normal Volunteers.
Rupani M, Crosser VA, Tauber J, Mardelli PM.
Investigative Ophthalmology Visual Science 34 (4): 2693, 1993.
- Corneal Topographic Abnormalities Following the Use of Artificial Lubricants.
Mardelli PM, Tauber J, Piebenga LW.
Investigative Ophthalmology Visual Science 34 (4): 3809, 1993.
- Comparison of Expanding versus Contracting Diaphragm Movement in Excimer Laser Photoablation Without Nitrogen Gas Flow.
Drew S, Walline TA, Tauber J, Cobb CJ, Gardner L.
Investigative Ophthalmology Visual Science 34 (4): 490, 1993.
- Improvement in Squamous Metaplasia and Tear Osmolarity Following Aquasite™ Treatment.
Mardelli PM, Teague BJ, Tauber J.
Ophthalmology 100 (9A): 108, 1993.

Bibliography

- Retreatment of PRK Refractive Failures
Matta CS, Piebenga LW, Deitz MR, Tauber J.
Ophthalmology 100 (9A): 108, 1993.
- A Retrospective Review Comparing Iris-Fixated Vs. Open Loop ACIOLs with Penetrating Keratoplasty.
Tauber J, Bealer L, Cavanaugh T, Durrie D.
Journal Of Cataract And Refractive Surgery (Suppl): 71, 1993.
- Excimer Photorefractive Keratectomy for Myopia.
Piebenga LW, Deitz MR, Matta CS, Tauber J, Irvine JW, Sabates FN.
Ophthalmology 100 (9): 1335-1345, 1993.
- Two Zone PRK for Moderate Myopia.
Piebenga LW, Matta CS, Deitz MR, Tauber J.
Ophthalmology 100 (9A): 108, 1993.
- A Multicenter Comparison of Diclofenac Sodium 0.1% (DS) to Ketorolac Tromethamine 0.5% (KT) in Patients with Acute Seasonal Allergic Conjunctivitis (SAC).
Tauber J, et. al.
Investigative Ophthalmology Visual Science 35 (4): 1291, 1994.
- Changes in Corneal Topography After Instillation of Artificial Lubricants.
Yu JS, Wu M, Crosser V, Tauber J.
Investigative Ophthalmology Visual Science 35 (4): 1291, 1994.
- Contact Lens and Spectacle Use Before and After PRK.
Jaffe MR, Ranjan MR, Tauber J.
CLAO 20 (Suppl): 48, 1994.
- Cicatricial Pemphigoid.
Tauber J, Foster CS.
In: Mannis MJ, Macsai MS, Huntley AC, Eds. *Diseases of the Eye and Skin*, New York, Raven Press, 1995.
- Wegener's Granulomatosis.
Tauber J, Hall JC.
In: Mannis MJ, Macsai MS, Huntley AC, eds. *Diseases of the Eye and Skin*, New York, Raven Press, 1995.
- Juvenile Rheumatoid Arthritis.
Tauber J.
In: Krachmer JH, Mannis MJ, Holland EJ, Eds. *Cornea*, St. Louis, CV Mosby, 1996.
- Two Zone Excimer Photorefractive Keratectomy for Moderate Myopia. 6 to 18 Month Followup.
Piebenga LW, Matta CS, Deitz MR, Tauber J.
Ophthalmology 102: 1054-1059, 1995.
- Duration of Tear Osmolarity Changes Following Instillation of Artificial Lubricants In Patients With Keratoconjunctivitis Sicca.
Crosser V, Mardelli P, Wu A, Tauber J.
Investigative Ophthalmology and Visual Science 36: S998, 1995.
- The Effects of Instillation of Topical NSAIDs on Corneal Sensation.
Tauber J, Garner L, Niknia H, Crosser V.
Investigative Ophthalmology and Visual Science 36: S576, 1995.
- Temporary Intracanalicular Collagen Implants In Normal Volunteers.
Tauber J, Garner L, Rioux N.
Investigative Ophthalmology and Visual Science 37: S853, 1996.
- Epidemiological Study of Punctal Size in Normal Volunteers.
Rioux N, Garner L, Tauber J.
Investigative Ophthalmology and Visual Science 37: S566, 1996.

Bibliography

- Photorefractive Keratectomy Results as a function of Preoperative Astigmatism.
Garner L, Crosser V, Tauber J.
Investigative Ophthalmology and Visual Science 37: S566, 1996.
- Five and Three Year Follow-up of Photorefractive Keratectomy for Myopia of -1 to -6 Diopters.
Matta CS, Piebenga LW, Deitz MR, Tauber J, Garner L.
Journal of Refractive Surgery 14:318-324, 1998
- Excimer Retreatment for Myopic Photorefractive Keratectomy Failures. Six to 18 Month Follow-up.
Matta CS, Piebenga LW, Deitz MR, Tauber J.
Ophthalmology 103: 444-451, 1996
- Ablation Zone Centration after Photorefractive Keratectomy and Its Effect on Visual Outcome.
Deitz MR, Piebenga LW, Matta CS, Tauber J, Anello RD, DeLuca M
Journal of Cataract and Refractive Surgery 22(6): 696-701, 1996
- The Effects of Instillation of Diclofenac sodium 0.1% on Photophobia following Pupillary Dilation.
A Pilot Study in Normal Volunteers.
Tauber J, Raptis C.
Investigative Ophthalmology Visual Science 38 (4): S142, 1997
- A Multicenter Comparison of the Ocular Efficacy and Safety of Diclofenac 0.1% Solution with that
Of Ketoralac Tromethamine 0.5% Solution in Patients with Acute Seasonal Allergic Conjunctivitis.
Tauber J, Raizman MB, Ostrov CS, Laibovitz RA, Abelson MB, Betts JG, Koester JM,
Gill, D, Schaich L.
Journal of Ocular Pharmacology and Therapeutics 14 (2): 137-146, 1998
- Evaluation of Two Different Methods of Epithelial Removal Prior to Excimer Laser
Photorefractive Keratectomy for Myopia.
Tauber J, Cable M, Chavala S, Polepalle S.
Investigative Ophthalmology Visual Science 40 (4): S107, 1999
- Refractive Outcomes Following Excimer Laser Photorefractive Keratectomy for Myopia Using
Two Different VISX Excimer Lasers.
Cable M, Matta C, Piebenga L, Polepalle S, Steward C, Tauber J.
Investigative Ophthalmology Visual Science 40 (4): S106, 1999
- Safety and Efficacy of Nedocromil Sodium Ophthalmic Solution 25 BID in Patients with Ocular Itch Associated
With Allergic Conjunctivitis.
Tauber J, Alocril® Community Ocular Allergy Trial Study Group
Investigative Ophthalmology Visual Science 42(4) S910, March 2001
- Efficacy and Safety of Combination Therapy with Brimonidine 0.2% and Latanoprost 0.005% Versus Fixed
Combination Timolol 0.5%/Dorzolamide 2%
Zabriskie N A, Ahmed I K, Cantor L B, Kent A B, Mundorf T, Tauber J, Rubin J M, Hoop J
Investigative Ophthalmology Visual Science 42 (4) S833, March 2001
- Phase 2 Dose Ranging Efficacy Trial of INS365 Ophthalmic Solution, A P2Y2 Agonist, in Patients with Dry Eye.
Foulks G, Sall K, Greenberg M, Tauber J, Donshik P, Berdy G, Sylvester R, Yerxa B, Crockett S,
Kellerman D
Investigative Ophthalmology Visual Science 42 (4) S713, March 2001
- Nedocromil Sodium Ophthalmic Solution 2% Twice Daily in Patients with Allergic Conjunctivitis.
Tauber J, and the Alocril Community Allergy Trial Study Group
Advances in Therapy 19 (2) 73-84, March / April 2002
- Double-Masked, Placebo-Controlled Safety and Efficacy Trial of Diquafasol Tetrasodium (INS365) Ophthalmic
Solution for the Treatment of Dry Eye
Tauber J, Kellerman D
Cornea 23 (8) 784-792, 2004.

Bibliography

Parasitic Keratitis and Conjunctivitis.

Tauber J, Jehan F.

In: Foster CS, Azar DT, Dohlman CH, Eds. *The Cornea, 4th Edition*, Philadelphia, Lippincott Williams & Wilkins, 2004, pp. 427-446.

Juvenile Rheumatoid Arthritis.

Tauber J

In: Krachmer JH, Mannis MJ, Holland EJ, Eds. *Cornea, 2nd ed.*, St. Louis, CV Mosby, 2004.

Phase III Safety Evaluation of Cyclosporine 0.1% Ophthalmic Emulsion Administered Twice Daily to Dry Eye Disease Patients for Up to 3 Years.

Barber LD, Pflugfelder SC, Tauber J, Foulks GN

Ophthalmology 112: 1790-1794, 2005.

Wegener's Granulomatosis.

Choopong P, Tauber J, Foster CS.

Contemporary Ophthalmology in press, 2006.

Efficacy, Tolerability And Comfort Of A 0.3% Hypromellose Gel Ophthalmic Lubricant In The Treatment Of Patients With Moderate To Severe Dry Eye Syndrome.

Tauber J.

Current Medical Research and Opinions 23: 2629-2636, 2007.

Followup of Penetrating Keratoplasty.

Tauber J

In: Price, Ed. *Curbside Consultation in Cornea and External Disease*. Thorofare NJ, Slack, 2010

Amebiasis.

Tauber J.

in *Intraocular Inflammation*, ed. Zierhut, M, Ohno S, Orefice F, Pavesio C, Rao N. (Eds.)

Springer Verlag, Heidelberg, Germany, 2011.

Giardiasis.

Tauber J.

in *Intraocular Inflammation*, ed. Zierhut, M, Ohno S, Orefice F, Pavesio C, Rao N. (Eds.)

Springer Verlag, Heidelberg, Germany, 2011.

Juvenile Idiopathic Arthritis.

Tauber J

In: Krachmer JH, Mannis MJ, Holland EJ, Eds. *Cornea, 3rd ed.*, St. Louis, CV Mosby, 2011.

Tear Osmolarity in the Diagnosis and Management of Dry Eye Disease

Lemp MA, Bron AJ, Baudoin C, Del Casillo B, Geffen D, Tauber J, Foulks GN, Pepose JS, Sullivan BD.

Amer. J Ophthalmology, 2011; 151:792-798.

The International Workshop on Meibomian Gland Dysfunction: Report of the Subcommittee on Management and Treatment of Meibomian Gland Dysfunction

Geerling G, Tauber J, Baudoin C, Goto E, Matsumoto Y, O'Brien T, Rolando M, Tsubota K, Nichols KK.

Investigative Ophthalmology & Visual Science, Special Edition 2011, Vol. 52, No. 4; 2050-2064.

Scleritis Therapy

Sainz de la Maza M, Molina N, Gonzalez-Gonzalez LA, Doctor PP, Tauber J, Foster CS.

Ophthalmology, 119: 51-58, 2012.

Clinical Characteristics of a large Cohort of Patients With Scleritis and Episcleritis

Sainz de la Maza M, Molina N, Gonzalez-Gonzalez LA, Doctor PP, Tauber J, Foster CS.

Ophthalmology, 119: 43-50, 2012.

Clinical features and presentation of infectious scleritis from herpes viruses: a report of 35 cases.

Gonzalez-Gonzalez LA1, Molina-Prat N, Doctor P, Tauber J, Sainz de la Maza MT, Foster CS

Ophthalmology. 119(7):1460-4, 2012

Bibliography

Is There a Difference Between the Various Corticosteroid Preparations?

Tauber J

In: Foster CS ed., *Curbside Consultation in Uveitis: 49 Clinical Questions*, Thorofare NJ, Slack, 2012: 41-44.

Parasitic Keratitis and Conjunctivitis.

Tauber J, Anzaar F.

In: Jaypee Brothers.

The Sclera, 2nd edition.

Ed. by Sainz de la Maza M, Tauber J, Foster CS. New York, Springer-Verlag, 2012. pp. 1-307.

Scleritis Associated with Inflammatory Bowel Disease

Sainz de la Maza M, Molina N, Alonso Gonzalez-Gonzalez L, Doctor PP, Tauber J, Foster CS, *Investigative Ophthalmology Visual Science*, in press.

The TFOS International Workshop on Contact Lens Discomfort: report of the management and therapy subcommittee.

Papas EB1, Ciolino JB, Jacobs D, Miller WL, Pult H, Sahin A, Srinivasan S, Tauber J, Wolffsohn JS, Nelson JD; members of the TFOS International Workshop on Contact Lens Discomfort *Invest Ophthalmol Vis Sci*. 2013 Oct 18;54(11):TFOS183-203.

Clinical features and presentation of posterior scleritis: a report of 31 cases

Gonzalez-Gonzalez LA, Molina-Prat N, Priyanka Doctor P, Tauber J, Sainz de la Maza M, Foster CS, *Ocular Immunology and Inflammation* 2014 Jun;22(3):203-7.

Lifitegrast Ophthalmic Solution 5.0% versus Placebo for Treatment of Dry Eye Disease: Results of the Randomized Phase III OPUS-2 Study.

Tauber J, Karpecki P, Latkany R, Luchs J, Martel J, Sall K, Raychaudhuri A, Smith V, Semba CP; OPUS-2 Investigators. *Ophthalmology* 2015; 122:2423-2431.

Scleritis Associated with Relapsing Polychondritis

Sainz de la Maza M, Molina N, Alonso Gonzalez-Gonzalez L, Doctor PP, Tauber J, Foster CS, *British J Ophthalmology*, 2016; in press.

Multicenter Study of a Novel Topical Interleukin-1 Receptor Inhibitor, Isunakinra, in Subjects With Moderate to Severe Dry Eye Disease.

Goldstein MH1, Martel JR, Sall K, Goldberg DF, Abrams M, Rubin J, Sheppard J, Tauber J, Korenfeld M, Agahigian J, Durham TA, Furfine E *Eye Contact Lens*. 2016 Jul 27.]

Lifitegrast for the Treatment of Dry Eye Disease: Results of a Phase III, Randomized Double-Masked, Placebo-Controlled Trial (OPUS-3).

Holland EJ, Luchs J, Karpecki PM, Nichols KK, Jackson MA, Sall K, Tauber J, Roy M, Raychaudhuri A, Shojaei A. *Ophthalmology* 2017; 124:53-60.

TFOS DEWS II Management and Therapy Report

Jones L, Downie LE, Korb DR, Benitez-del-Castillo JM, Dana R, Deng SX, Dong PN, Geerling G, Hida RY, Liu Y, Seo KY, Tauber J, Wakamatsu TH, Xu J, Craig JP:. *Ocular Surface* (15); 573-628, 2017.

Lifitegrast ophthalmic solution 5.0% for treatment of dry eye disease: combined evidence from 5 randomized Trials. Shojaei A, Darvish-Zargar M, Holland EJ, Chan CC, Nichols KK, Tauber J, Baudoin C, Raychaudhuri A, Roy M.

IOVS

- A Phase II/III, randomized, double-masked, vehicle-controlled, dose-ranging study of the safety and efficacy of OTX-101 in the treatment of dry eye disease.
Tauber J, Schechter B, Bacharach J, et. al.
Clinical Ophthalmology 2018;12 1921–1929
- Pooled analysis of efficacy and safety of OTX-101, a novel nanomicellar cyclosporine formulation, in patients with keratoconjunctivitis sicca.
Toyos MM, Goldberg D, Tauber J, Malholtra R, Darby C, Ogundele O and Luchs J.
IOVS 2019, in press
- Comparison of the iLUX and the LipiFlow for the treatment of meibomian gland function and symptoms: a randomized clinical trial.
Tauber J, Owen J, Bloomenstein M, Hovanesian J, Bullimore M.
Submitted to *Am J Ophthalmol*, 2019.
- A 6-Week, Prospective, Randomized, Single-Masked Study of Lifitegrast Ophthalmic Solution 5% Versus Thermal Pulsation Procedure for Treatment of Inflammatory Meibomian Gland Dysfunction.
Tauber J.
Cornea 2020: in press.
- Efficacy of a propylene glycol/hydroxypropyl guar-based lubricant eye drop in improving tear stability in patients with dry eye disease.
Srinivasin S, Tauber J, et. al.
IOVS 2020, in press

Participation in Multicenter Research Studies

1990-1992	Cyclosporine-High Risk Corneal Transplantation Study
1990-1996	VISX Photorefractive Keratectomy Study
1990-1995	Fibronectin Eyedrops in the Treatment of Nonhealing Corneal Ulcers
1992-1993	Efficacy of Carbomer Gel Versus Hypotears in Dry Eye Patients
1992-1994	Efficacy and Safety of Rimexolone Ophthalmic Suspension Versus Pred Forte 1% for the Treatment of Uveitis
1992-1993	Efficacy and Safety Evaluation of Lodoxamide 0.1% Ophthalmic Solution Versus Placebo in Vernal Keratoconjunctivitis
1992-1994	Adjunctive Therapy with Galardin™ Matrix Metalloproteinase Inhibitor in Patients with Corneal Ulcers Caused by Infection
1992-1994	Adjunctive Therapy with Galardin™ Matrix Metalloproteinase Inhibitor in Patients with Corneal Ulcers Caused by Rheumatoid Arthritis
1992-1993	A Clinical Study Evaluating the Ocular Safety, Comfort and Efficacy Of Cellufresh® Compared with Celluvisc®, Hypotears P.F.® and Tears Naturale II® in Subjects with Dry Eye Syndrome
1992-1993	A Prospective, Randomized, Double-Masked, Parallel Group, Two Week, Multicenter Comparison Trial of the Ocular Efficacy and Safety Of Voltaren Ophthalmic 0.1% Solution with That of Acular 0.5% Ophthalmic Solution in Patients with Acute Seasonal Allergic Conjunctivitis
1993-1994	Safety and Efficacy of Lotoprednol Etabonate in Acute Anterior Uveitis
1994-1995	A Clinical Study Comparing the Ocular Safety and Efficacy Of Acular With Livostin And Vehicle in Subjects with Seasonal Allergic Conjunctivitis
1994-1996	A Double-Masked, Double-Dummy, Randomized, Acyclovir Controlled, Parallel Group Study to Compare the Efficacy and Safety of Famciclovir With Acyclovir in The Treatment Of Patients with Ophthalmic Zoster
1995-1996	A Dose-Ranging Study Evaluating the Safety, Tolerability, and Efficacy of Cyclosporine and Vehicle Ophthalmic Emulsions in The Treatment of Moderate to Severe Keratoconjunctivitis Sicca
1996-1996	Comparison of Lotprednol Etabonate in Acute Anterior Uveitis and Placebo in the Treatment of Inflammation Following Cataract Surgery with Intraocular Lens Implantation
1996-1997	Multicenter Comparison of the Comfort and Efficacy of Genteal Ophthalmic Lubricant Solution Versus Refresh Plus Ophthalmic Lubricant Solution in the Treatment of Patients with Dry Eye Syndrome
1997-1998	A randomized double-masked (investigator), active-controlled, parallel Evaluation of the safety and efficacy of Cidofovir topical ophthalmic solution in the treatment of viral epidemic keratoconjunctivitis
1997-1998	A Randomized, Single-Masked (Investigator), Active-Controlled, Parallel Evaluation of The Safety and Efficacy of Cidofovir Topical Ophthalmic Solution in The Treatment of Herpes Epithelial Keratitis
1997-1998	A Safety and Efficacy Assessment of Hyaluronidase Solution Injected Into The Vitreous Body of The Eye to Hasten the Clearing of Blood from the Vitreous

Recent Participation in Multicenter Research Studies

- 1997-1998** A Multicenter, Double-Masked, Randomized, Vehicle-Controlled, Parallel-Group Study of the Safety and Efficacy of Cyclosporine 0.05% And 0.1% Ophthalmic Emulsions Used Twice Daily for Up to One Year In Patients with Moderate to Severe Keratoconjunctivitis Sicca
- 1998-1999** A Six Month, Multicenter, Triple-masked, Placebo-Controlled Adjunctive Therapy Study of the Safety and Efficacy of AL-6221 0.0015% and AL-6221 0.004% Ophthalmic Solution in Patients With Open Angle Glaucoma or Ocular Hypertension Maintained on Timoptic 0.5%
- 1998-2000** A Phase III Study of MDX-RA Compared with Placebo Administered in Patients Undergoing Extracapsular Extraction with Phacoemulsification For Cataract
- 1998-1999** A Multicenter, Open-Label, Phase 2 Study Extension Evaluating the Safety of Cyclosporine 0.1% Ophthalmic Emulsion Used Twice Daily for Up to One Additional Year in Patients with Moderate to Severe Keratoconjunctivitis Sicca
- 1998-2000** A Multicenter, Open-Label, Phase 3 Study Extension Evaluating the Safety of Cyclosporine 0.1% Ophthalmic Emulsion Used Twice Daily for One Additional Year in Patients with Moderate to Severe Keratoconjunctivitis Sicca Previously Dosed for 6 to 12 Months with Cyclosporine 0.05% or 0.1%
- 1998-2001** Safety and Efficacy Study of Vitrase (Hyaluronidase) for Ophthalmic Intravitreal Injection for Clearance of Severe Vitreous Hemorrhage Study
- 1998-1999** RUF366 A Pilot Study of Zenarestat 0.3% (RUF366) For the Treatment of Corneal Epitheliopathy Associated with Diabetes Mellitus
- 1998-1999** Genteal-Gel Ophthalmic Lubricant in the Treatment of Patients with Moderate to Severe Dry Eye Syndrome
- 1999-2005** A 48 Month, Multicenter, Randomized, Double-Masked, Placebo-Controlled, Clinical Study to Evaluate the Effectiveness and Safety Of Oral Memantine In Daily Doses Of 20mg and 10mg In Patients With Chronic Open Angle Glaucoma at Risk for Glaucomatous Progression
- 2000-2001** Cyclosporine 0.05% Ophthalmic Emulsion vs Tears Naturale Free Used Twice Daily in Increasing Daily Lens Comfort and Wear Time
Joseph Tauber, M.D., Primary Investigator
- 2000-2001** Memantine Oral Doses of 20mg and 10mg In Patients with Chronic Open-Angle Glaucoma at Risk for Glaucomatous Progression
- 2001-2002** Inspire 365 Ophthalmic Solution vs Placebo in Patients with Moderate to Severe Dry Eye Disease
- 2001-2002** A Multicenter Evaluation of Strategies to Optimize the Tolerability of Restasis 0.05% Ophthalmic Emulsion
- 2001-2004** Randomized, 5 Year Postmarketing Safety Study of Xalatan Compared to “Usual Care” in Patients with Open-Angle Glaucoma or Ocular Hypertension
- 2001-2004** A Three Month Clinical Study Comparing the Efficacy and Tolerability of Alphagan and Xalatan in subjects with Chronic Open-Angle Glaucoma or Chronic Ocular Hypertension Presently on Topical Beta Blockers

Recent Participation in Multicenter Research Studies

- 2001-2004** A Four-Month, Randomized, Double-Masked, Parallel Group, Two-Arm Study Comparing the Safety and Efficacy of Alphagan™ 0.2%/Xalatan™ 0.005% Combination Therapy and Cosopt™ Combination Therapy for the Reduction Of Intraocular Pressure in Patients with Glaucoma or Ocular Hypertension
- 2001-2003** A Multi-Center, Parallel, Randomized, Double-Masked, Vehicle-Controlled, Dose Ranging Study to Evaluate the Safety, Tolerability and Efficacy of Testosterone 0.01%, 0.1%, and 0.3% Ophthalmic Solutions Administered Twice Daily for 16 weeks in Patients with Keratoconjunctivitis Sicca
- 2001-2003** A Multi-Center, Double- Masked, Randomized, Placebo-Controlled, Dose-Ranging Study of Multiple Ocular Instillations of INS365 Ophthalmic Solution vs. Placebo in Subjects with Dry Eye Disease.
- 2001-2002** A Prospective, Randomized, Parallel-group, Multi-center, Double-masked Trial Comparing the Efficacy and Safety of 1.5% Levofloxacin Ophthalmic Solution with 0.3% Ofloxacin Ophthalmic Solution for Treating Bacterial Keratitis.
- 2004-2005** A 21 Day, Pilot, Multicenter, Investigator-masked Randomized Parallel Comparison of the Safety and Efficacy of Gatifloxacin 0.3% Ophthalmic Solution Compared with Ciprofloxacin 0.3% Ofloxacin Ophthalmic Solution in Patients with Acute Bacterial Corneal Ulcers.
- 2004-2005** A Multi-Center, Parallel Group, Double- Masked, Randomized, Placebo-Controlled Study of Multiple Ocular Instillations of Diquafasol Tetrasodium Ophthalmic Solution, 2% in Subjects with Dry Eye Disease.
- 2004-2005** Rebamipide Ophthalmic Suspension in the Treatment of Dry Eye: A Multi-Center, Phase 3, Randomized, Double-Masked, Placebo-Controlled, Parallel Group, 26 Week Study.
- 2005-2007** A 24 week randomized, double-blind, multicenter, parallel-group, placebo-controlled evaluation of the safety and efficacy of 0.3% and 1% pimecrolimus ophthalmic suspensions used twice daily in patients with moderate to sever keratoconjunctivitis sicca.,
- 2005-2006** Optimization of Clinical Testing in Patients with Dry Eye.
- 2005-2007** A Study to Evaluate the Clinical and Microbial Efficacy of 0.6% ISV-403 compared to Vigamox™ in the Treatment of Bacterial Conjunctivitis.
- 2005-2007** Randomized, Double-Masked Study of Rimexolone 0.2% and Vehicle in Treatment of Dry Eye.
- 2006-2009** A Double-Masked, Placebo-Controlled, Parallel Group, Multi-center, Dose-ranging Study to Assess the Efficacy and Safety of LX211 as Therapy in Subjects with Active Sight Threatening, Non-Infectious Intermediate-, Anterior and Intermediate-, Posterior- or Pan-Uveitis
- 2006-2009** A Double-Masked, Placebo-Controlled, Parallel Group, Multi-center, Dose-ranging Study to Assess the Efficacy and Safety of LX211 as Therapy in Subjects with Clinically Quiescent Sight Threatening, Non-Infectious Intermediate-, Anterior and Intermediate-, Posterior- or Pan- Uveitis
- 2006-2009** A Double-Masked, Placebo-Controlled, Parallel Group, Multi-center, Dose-ranging Study to Assess the Efficacy and Safety of LX211 as Therapy in Subjects with Active Sight Threatening, Non-Infectious Anterior Uveitis
- 2007-2009** A Multi-center, Placebo-Controlled, Randomized, Parallel-Group Dose-Ranging Study to Assess the Efficacy and Safety of LX201 for Prevention of Corneal Allograft Rejection Episodes and Graft Failure Following Penetrating Keratoplasty with LX201 Implantation In Subjects Who Are At Increased Immunological Risk
- 2007-2009** A Multi-center, Placebo-Controlled, Randomized, Parallel-Group Dose-Ranging Study to Assess the Efficacy and Safety of LX201 Implantation for the Prevention of Corneal Allograft Rejection Episodes or Graft Failure in Subjects Who Have Experienced One or More Rejection Episodes Following Penetrating Keratoplasty

Recent Participation in Multicenter Research Studies

2007-2008	A Phase III Study of the Efficacy and Safety of Cyclosporine Ophthalmic Solution, 0/1% (STA-603) Compared to Vehicle in Subjects with Moderate to Severe Dry Eye Syndrome
2007-2008	A Phase 2b Multicenter, Randomized, Double-Masked Study of the Safety and Efficacy of Difluprednate 0.05% Ophthalmic Emulsion Compared to Prednisolone Acetate 1% Ophthalmic Suspension in the Treatment of Endogenous Anterior Uveitis
2007-2008	CR-1485CJ Evaluation of Multifocal Soft Contact Lens Designs
2008-2009	A Multi-Center, Open-Label, Randomized, Pilot Study of the Safety and Efficacy of Azasite Ophthalmic Solution 1% in Combination with Mechanical Therapy vs. Mechanical Therapy Alone in Subjects with Blepharitis
2008-2009	Efficacy and Safety of COL-101 for the Treatment of Blepharitis in Patients with Facial Rosacea
2008-2009	A Phase II Randomized, Masked, Parallel-Group Study of Safety and Preliminary Efficacy of the Latanoprost Punctum Plug Delivery System in Subjects with Primary Open Angle Glaucoma or Ocular Hypertension
2008-2009	An Open-Label Proof-Of-Concept Study to Assess The Effects of Two AIN457 Doses (on Day 1 and Day 22) In Patients With Noninfectious Uveitis
2009-2009	A Multicenter, Parallel Group, Double-masked, Randomized, Placebo-controlled Study of The Effects of Diquafasol tetrasodium Ophthalmic Solution, 2% In Subjects with Dry Eye Disease and a Central Corneal Staining Score of 3 (NEI Scale)
2009-2009	An Evaluation of the Safety and Efficacy of Moxifloxacin AF Ophthalmic Solution 0.5% for the Treatment of Bacterial Conjunctivitis in the USA
2009-2012	A Device Evaluation Study to Assess the Physical and Clinical Performance of Prototype Punctal Plug Design Iterations
2009-2009	An Open-Label, Phase 2 Study of Punctal Placement of the Latanoprost Punctal Plug Delivery System (L-PPDS) in Subjects with Ocular Hypertension (OH) or Open-Angle Glaucoma (OAG)
2009-2009	A Phase I/II Prospective, Randomized, Double Masked, Vehicle and Comparator Controlled, Dose Ranging Study of CP-690,550 In Subjects with Dry Eye Disease
2009-2009	A Multi-Center, Open Label Randomized Pilot Study of the Safety and Efficacy of Azasite Ophthalmic Solution, 1% in Combination with Mechanical Therapy versus Mechanical Therapy Alone in Subjects with Blepharitis
2009-2010	A Clinical Safety and Efficacy Evaluation of Zylet® (loteprednol etabonate 0.5% and tobramycin 0.3% ophthalmic suspension) compared to Lotemax® (loteprednol etabonate ophthalmic suspension 0.5%), Tobramycin Ophthalmic Solution USP, 0.3%, and the Vehicle of Zylet® for the Treatment of Blepharoconjunctivitis in Pediatric Subjects
2009-2010	A Multi-Center, Double Masked, Placebo-Controlled, Parallel-Group, Randomized Study of the Safety and Efficacy of Azithromycin Ophthalmic Solution, 1% versus Placebo for Four Weeks in Subjects with Dry Eye Disease
2010-2011	A Randomized, Double-Masked, Parallel-Group, Vehicle-Controlled, Multicenter, Exploratory Study Assessing Safety and Efficacy of BOL-303242-X Ophthalmic Suspension in Dry Eye Syndrome
2011-2011	A Randomized, Multi-Center, Double-Masked, Vehicle- Controlled, Parallel-Group, Safety and Efficacy Study of Azithromycin Ophthalmic Solution, 1% versus Vehicle for Four Weeks in Subjects with Blepharitis
2011-2013	A Prospective, Multi-Center, Randomized, Double-Masked, Positive-Controlled Phase 3 Clinical Trial Designed to Evaluate the Safety and Efficacy of Iontophoretic Dexamethasone Phosphate Ophthalmic Solution Compared to Prednisolone Acetate (1%) in Patients with Non-Infectious Anterior Segment Uveitis

Recent Participation in Multicenter Research Studies

- 2012-2013** A Randomized, Double-Masked, Parallel –Group, Comparative Study to Evaluate the Clinical Efficacy and Safety of ISV-502 (1.0% Azithromycin and 0.1% Dexamethasone) Compared to Azasite alone, Dexamethasone 0.1% alone and Vehicle in the Treatment of Patients with Non-Bacterial Blepharitis
- 2012-2013** A Randomized, Double-masked, Placebo-controlled Study of the Safety and Efficacy of 2% Rabamipide versus placebo in the treatment of Dry Eyes.
- 2012-2013** A Randomized, Double-masked, Placebo-controlled, Dose-Ranging Study of EBI-005 Ophthalmic Solution versus Placebo in subjects with Dry Eye Syndrome.
- 2013-2013** A Phase 3, Multicenter, Randomized, Double Masked and Placebo Controlled Study Evaluating the Efficacy of a 5.0% Concentration of Lifitegrast Ophthalmic Solution Compared to Placebo in Subjects with Dry Eye Currently Using Artificial Tears (OPUS-2)
- 2013-2013** A Randomized, Double-masked, Placebo-controlled Study of the Safety and Efficacy of GevokizumAb in the Treatment of Active Non-infectious Intermediate, Posterior, or Pan-Uveitis
- 2013-2013** A Randomized, Double-masked, Placebo-controlled Study of the Safety and Efficacy of GevokizumAb in the Treatment of Subjects with Non-infectious Intermediate, Posterior, or Pan- uveitis Currently Controlled with Systemic Treatment
- 2013-2014** Ophthalmic AGN195263 for the Treatment of Meibomian Gland Dysfunction
- 2014- 2015** A Multi-Center, Double-Masked, Randomized, Placebo Controlled Study of EBI-005 Ophthalmic Solution versus Placebo in Subjects with Dry Eye Disease
- 2014-2015** A Double-Masked, Randomized, Multicenter, Placebo Controlled, Parallel-Group Study of SJP-0035 Ophthalmic Solution Compared With Placebo to Assess Safety and Efficacy of SJP-0035 Ophthalmic Solution for Corneal Epithelial Wound Healing in Patients With Moderate to Severe Corneal Epithelial Disorders
- 2014-2015** A Phase III, Double-Masked, Randomized, Controlled Trial of KPI-121 in Postsurgical Inflammation
- 2014-2015** A Phase 2, Double-Masked, Randomized, Vehicle Controlled Study to Evaluate the Effect of KPI-121 0.25% Ophthalmic Suspension on Signs and Symptoms of Inflammatory Meibomian Gland Disease
- 2014-2016** Dry Eye Assessment and Management (DREAM) Study (NIH Sponsored Trial)
- 2014-2015** A Phase 3, Multicenter, Randomized, Double-masked, and Placebo-controlled Study Evaluating the Efficacy and Safety of a 5.0% Concentration of Lifitegrast Ophthalmic Solution Compared to Placebo in Subjects with Dry Eye Disease
- 2014-2015** A Multicenter, Double-Masked, Parallel-Group, Vehicle Controlled Study to Assess the Efficacy and Safety of Rx-10045 Nanomicellar Ophthalmic Solution for Treatment of Ocular Inflammation and Pain In Subjects Undergoing Cataract Surgery
- 2014-2015** A Randomized, Multicenter, Double-Masked, Vehicle Controlled, Dose-Ranging Study of the Safety and Efficacy of OTX-101 in the Treatment of Keratoconjunctivitis Sicca
- 2014-2015** Evaluation of a Lubricant Eye Drop on Tear Lipid Layer Thickness in Contact Lens Wearers
- 2015-2016** A Phase 2 Randomized, Investigator-Masked, Comparator-controlled Trial to Evaluate the Safety and Efficacy of NS2 Eye Drops in Patients with Anterior Uveitis
- 2015-2016** A Phase 3, Multicenter, Randomized, Double-masked, and Placebo Controlled Study Evaluating the Efficacy and Safety of a 5.0% Concentration of Lifitegrast Ophthalmic Solution Compared to Placebo in Subjects with Dry Eye Disease and History of Recent Artificial Tear Use

Recent Participation in Multicenter Research Studies

- 2016-2017** Randomized, Double-Masked, Parallel Group Study of P - 321 Ophthalmic Solution Compared to Placebo in Subjects with Dry Eye Disease Assessing Safety and Efficacy Over 28 Days
- 2016-2017** A Double-Masked, Randomized, Multicenter, Placebo-Controlled, Parallel-Group Study of SJP-0035 Ophthalmic Solution Compared with Placebo to Assess Safety and Efficacy of Two Dose Concentrations of SJP-0035 Ophthalmic Solution for Corneal Epithelial Wound Healing in Patients with Moderate to Severe Corneal Epithelial Disorders
- 2016 – 2017** An Open-Label Extension of a Randomized, Multicenter, Double-Masked, Vehicle-Controlled Study of the Safety and Efficacy of OTX-101 in the Treatment of Keratoconjunctivitis Sicca
- 2016 – 2018** A Phase 3, Double-Masked, Randomized, Controlled Study of KPI-121 0.25% Ophthalmic Suspension Compared to Vehicle in Subjects with Dry Eye Disease
- 2016-2018** Phase 3 Clinical Trial Designed to Evaluate the Safety and Efficacy of Iontophoretic Dexamethasone Phosphate Ophthalmic Solution in Patients With Non-Infectious Anterior Segment Uveitis
- 2016-2017** A Phase 3, Multi-Center, Double-Masked, Randomized, Parallel-Group Study to Assess Loteprednol Etabonate (BID and TID) versus Vehicle Gel for the Treatment of Ocular inflammation
- 2016 – 2017** An Open-Label Extension of a Randomized, Multicenter, Double-Masked, Vehicle-Controlled Study of the Safety and Efficacy of OTX-101 in the Treatment of Keratoconjunctivitis Sicca
- 2017 – 2019** A Phase 3 Randomized, Double-Masked, Vehicle-Controlled Trial to Evaluate the Safety and Efficacy of ADX-102 Ophthalmic Solution in Subjects with Non-Infectious Anterior Uveitis
- 2017-2017** Randomized Comparison between iLux™ and LipiFlow® in the Treatment of Meibomian Gland Dysfunction
- 2017 – 2018** Development of a Photographic Ocular Surface Grading Scale for Corneal and Conjunctival Staining in Subjects with Dry Eye Complaints
- 2017 – 2018** Clinical Evaluation Following Use of Systane Balance in Subjects with Lipid-Deficient Dry Eye
- 2017 – 2018** A Single-Center, Evaluation of a Single Vectored Thermal Pulsation Treatment vs. Lifitegrast 5% Used Twice Daily in Patients with Inflammatory Meibomian Gland Disease
- 2018 – Present** A Phase 1b, Open-Label, Multiple Dose, Proof-of-Concept Study to Evaluate the Safety, Tolerability, and Pharmacodynamics of AK002 in Patients with Atopic Keratoconjunctivitis, Vernal Keratoconjunctivitis, and Perennial Allergic Conjunctivitis
- 2018 – Present** A Phase I/II Prospective, Randomized, Multicenter, Double-Masked, Vehicle-Controlled Clinical Trial to Evaluate the Safety and Efficacy of Corneal Collagen Cross-Linking of Keratoprosthesis Carrier Tissue in High-Risk Keratoprosthesis Implantation
- 2018 – Present** A Double-Masked, Randomized, Multi-Center Phase 2 Study to Evaluate the Efficacy and Safety of Lacripep™ in Subjects with Dry Eye Associated with Sjögren’s Syndrome

Recent Participation in Multicenter Research Studies

- 2018 – 2019** An Investigator-Masked, Randomized, Parallel-Group Study of the Ocular Tolerability of Voclosporin Ophthalmic Solution versus Restasis® in Subjects with Dry Eye Disease
- 2018 – 2019** A double-masked, randomized, multicentre, placebo-controlled, parallel-group study to assess the safety and efficacy of SJP-0035 0.001% for the treatment of patients with Dry Eye Disease with moderate to severe corneal epithelial disorders
- 2018 – 2019** A Phase 2, Multi-Center, Randomized, Double-Masked, Saline-Controlled Study to Evaluate the Effect of Perfluorohexyloctane (NOV03) at Two Different Dosing Regimens on Signs and Symptoms of Dry Eye Disease
- 2018 – 2019** Evaluation of the Clinical Efficacy and Tolerability of SYSTANE Complete in Adult Patients with Dry Eye Disease following Topical Ocular use for 4 Weeks: A Multicenter Trial
- 2018 – 2020** A Phase III, Randomized, Double-Masked, Active-Controlled, Parallel-Group, Multi-center Study Assessing the Efficacy and Safety of DE-117 Ophthalmic Solution 0.002% Compared with Timolol Maleate Ophthalmic Solution 0.5% in Subjects with Glaucoma or Ocular Hypertension - Spectrum 3 Study
- 2019 – 2020** A Multi Center, Double-Masked, Randomized Placebo Controlled Study to Evaluate the Efficacy and Safety of HY02 in Subjects with Inflamed Meibomian Gland Dysfunction
- 2019 – 2019** A Single-Center Evaluation of HD Analyzer Measures in the Evaluation of Patients with Dry Eye Disease.
- 2019 – 2020** A Phase 3, Multicenter, Double-Masked, Randomized, Vehicle-Controlled, Parallel-Group Study Evaluating the Safety and Efficacy of AGN-190584 in Participants with Presbyopia
- 2019 – 2019** Comparison between iLux and LipiFlow in the treatment of Meibomian Gland Dysfunction (MGD): A 12 month, Multicenter study
- 2019 – Present** A 4 weeks, Phase II, multicenter, randomized, double-masked, vehicle-controlled, parallel group study with 12 weeks of follow-up to evaluate safety and efficacy of recombinant human Nerve Growth Factor (rhNGF) eye drops solution versus vehicle in patients with moderate to severe dry eye (DE)
- 2019 – Present** An Open-Label Extension Study to Evaluate the Safety, Tolerability, and Pharmacodynamics of AK002 in Patients with Atopic Keratoconjunctivitis, Vernal Keratoconjunctivitis, and Perennial Allergic Conjunctivitis
- 2019 – Present** Novaliq, NVU-003 Study: A Phase 3, Multi-Center, Randomized, Double-Masked, Saline-Controlled Trial to Evaluate the Effect of NOV03 (Perfluorohexyloctane) on Signs and Symptoms of Dry Eye Disease associated with Meibomian Gland Dysfunction
- 2019 – Present** A Phase 3, Double-Masked, Randomized, Controlled Study of KPI-121 0.25% Ophthalmic Suspension Compared to Vehicle in Subjects with Dry Eye Disease (STRIDE 3)
- 2019 – Present** Thermal compression for optimization of keratometry in patients with Meibomian Gland Dysfunction before biometry